



2 YEARS LIMITED WARRANTY

COVERAGE

The warranty covers the first owner from the date of purchase for 24 months "Powertrain" Protection (engine and transmission) and 12 months on tire to tire. American LIFAN warrants all parts of the vehicle except those listed under the caption "What is not covered". This warranty covers and repairs needed to correct defects in material or workmanship. This warranty is not transferable.

WHAT YOU MUST DO?

You must properly use, maintain and care for the vehicle as outlined in the American LIFAN Owner's manual.

You must maintain a record of the vehicles required periodic service and inspection. Periodic service and inspection are considered regular maintenance and are not reimbursable.

WHAT IS NOT COVERED? (WARRANTY EXCLUSIONS)

- . Any damage resulting from negligence of the periodic maintenance.
- . Any damage resulting from repairs, adjustments or maintenance operation by any methods other than those specified by American LIFAN.
- . Any damage resulting from hard driving due to racing, rallying or operation in a location not generally used for driving.
- . Any damage resulting from use beyond the limitations specified in the American LIFAN Operations Manuals, such as overloading the vehicle, or any damage from the use under normal conditions.
- . Any damage caused when the product is used as a rental/commercial use vehicle.
- . Any damage resulting from use of non-genuine parts of accessories or fuel, lubricant or fluid not specified by American LIFAN.
- . Any damage resulting from modifications of the product.
- . Any damage resulting from the passage of time (natural fading of painted surface, shell peeling and other deterioration); Consumable replacement parts due to natural wear and tear such as spark plugs, drive chains, drive belts, air cleaner elements, brake shoes, clutch disks, light bulbs, batteries, rubber parts, tube & tires, oils and cables.
- . Any damage due to improper storage or transport.
- . Any damage resulting from repair adjustments or maintenance operations performed by any person other than American LIFAN distributors or dealers.
- . Any damage resulting from unavoidable natural disasters, fire, collision, theft, and second damages base in any other these occurrences.
- . Incidental of additional expenses incurred from any claims such as those for towing, communications, hotel and meals as well as any losses during maintenance period, such as lose of time, loss of business and rental car expenses.
- . Scheduled maintenance and inspection fees.

WARRANTY COVERAGE & DURATION

NON WARRANTY PARTS (EXCEPT MANUFACTURING ERROR OR DEFECTIVE)

- . Spark Plug
- . Contact Points
- . Fuel Strainers
- . Oil Filters
- . Drive Chains
- . Air Cleaner Element
- . Brake Shoes
- . Brake Pads
- . Clutch Disk
- . Bulbs
- . Fuses
- . Gaskets
- . Tire
- . Rubber Hoses
- . Grommet
- . Rubber Cushions
- . Step Rubber
- . Belt

NOTE:

- . This **FIRST** year is regular warranty.
- . The **SECOND** year will be warranted for function only, any damage that not influence on function and parts liable to wear excluded from warranty coverage

IMPORTANT:

Vehicles **MUST BE INSPECTED** by an authorized LIFAN dealer within 90 days from date of purchase else the LIFAN limited warranty will be null and void.

You are required to maintain a record of the initial inspection which will be required upon application for any benefits covered by the LIFAN limited warranty.

Annex I :

Each task time accounts 8 minutes, and each task time will be charged 6 dollars.

Repair Cost Criteria

S/N	Parts	Description	Unit	Quantity	Repairing task time	Fees (\$)	Remark
1	Engine assy.	Assembling engine assy. and exhaust silencer	Piece	1	4	24	Including adjust the cable
2	Cylinder cover	Replacing, disassembling or assembling the cover of cylinder head	Piece	1	0.5	3	
3	Valve clearance	Adjusting valve clearance	Piece	1	0.5	3	Including the work of No. 2
4	Camshaft bracket	Replacing, disassembling or assembling the camshaft bracket	Piece	1	2	12	Additional piece work adds one task time
5	Valve rocker	Disassembling or assembling the rocket, spring and pin	Piece	1	2	12	Additional piece work adds a task time
6	Camshaft	Replacing, disassembling or assembling the camshaft	Piece	1	3	18	Including the work of No. 2, No. 3 and No. 4
7	Timing sprocket	Replacing, disassembling or assembling the timing sprocket	Piece	1	2	12	Including the work of No. 6
8	Cylinder head	Replacing, disassembling or assembling the cylinder head	Piece	1	3	18	Including the work of No. 7
9	Cylinder head gasket	Replacing cylinder head gasket	Piece	1	2	12	Including the work of No. 8
10	Valve spring	Replacing valve spring	Piece	1	3	18	Additional piece work adds half task time
11	Valve	Replacing the valve	Piece	1	3	18	Additional piece work adds half task time
12	Timing sprocket guide	Replacing, disassembling or assembling the timing sprocket	Piece	1	3	18	Including the work of No. 9
13	Valve guide	Replacing the valve guide	Piece	1	3	18	Additional piece work adds half task time
14	Piston	Replacing piston and piston pin, spring	Piece	1	3	18	Additional piece work adds a task time

15	Piston ring	Replacing the piston ring	Piece	1	3	18	Additional piece work adds a task time
16	Cylinder Block	Disassembling or assembling the cylinder block and cylinder block gasket	Piece	1	3	18	Including the work of No.14
17	Right crankcase cover	Replacing the right crankcase and gasket	Piece	1	4	24	
18	Tachometer gear, oil seal, rod	Replacing Tachometer gear, oil seal, rod	Piece	1	4	24	
19	Outer cover of clutch	Replacing outer cover of clutch	Piece	1	4	24	Including disassembling and assembling lock nuts and washers
20	Clutch pressure plate	Disassembling and assembling clutch plate, spring, etc.	Piece	1	4	24	
21	Clutch friction plates	Replacing the clutch friction plates and its subassembly	Piece	1	4	24	
22	Oil pump assembly	Replacing the oil pump assembly	Piece	1	4	24	
23	Oil filter	Replacing the oil filter	Piece	1	4	24	
24	Oil pump drive gear A	Replacing the oil pump drive gear A	Piece	1	4.5	27	
25	Internal and external rotor of oil pump	Replacing the internal and external rotor of oil pump	Piece	1	4.5	27	
26	Oil pump filter and O-type sealing ring	Replacing the oil pump filter and O-type sealing ring	Piece	1	4.5	27	
27	Drive gear of the crankshaft	Replacing the drive gear of the crankshaft	Piece	1	4.5	27	
28	Left crankcase rear cover	Replacing left crankcase cover	Piece	1	0.5	3	
29	Drive gear	Replacing the drive gear and the oil seal	Piece	1	1	6	
30	Left crankcase cover	Replacing the left crankcase cover and the washer	Piece	1	1	6	

31	Flywheel	Replacing flywheel	Piece	1	2	12	
32	Flywheel components	Replace the components in the flywheel	Piece	1	3	18	
33	Starting chain gear components	Replacing the starting chain gear components	Piece	1	2	12	
34	Starting chain	Replacing the starting chain	Piece	1	2	12	
35	Starting gear fixed plate	Replacing the starting gear fixed plate	Piece	1	1	6	
36	Starting motor	Replacing starting motor	Piece	1	2	12	
37	Starting motor components	Replacing the components of starting motor	Piece	1	4	24	
38	Gear shift shaft combination	Replacing the speed-change shaft combination	Piece	1	5	30	Including the work of No. 19 and No. 20
39	Starting shaft combination	Replacing the starting shaft combination	Piece	1	4	24	
40	Left crankshaft case	Replacing the left crankshaft case, bearing, sealing gasket	Piece	1	8	48	Whether involving one or all parts, it will always account for 8 task time
41	Right crankshaft case	Replacing the right crankshaft case, bearing, sealing gasket	Piece	1	8	48	Whether involving one or all parts, it will always account for 8 task time
42	Crankshaft assembly	Replacing crankshaft assembly and bearing	Piece	1	8	48	Whether involving one or all parts, it will always account for 8 task time
43	Driving and Driven shafts	Replacing Driving and Driven shafts	Piece	1	8	48	Whether involving one or all parts, it will always account for 8 task time
44	Gear shift drum	Replacing gear shift drum and neutral position switch rotor	Piece	1	8	48	Whether involving one or all parts, it will always account for 8 task time

45	Gear shift fork	Replacing gear shift fork and neutral position switch rotor	Piece	1	8	48	Whether involving one or all parts, it will always account for 8 task time
46	Timing belt	Replacing the timing belt	Piece	1	4	24	One more piece work adds four task time
47	Timing tension belt	Replacing the timing tension belt	Piece	1	8	48	Whether involving one or all parts, it will always account for 8 task time
48	Engine	Decomposing and assembling the engine	Piece	1	8	48	Including all work related to engine
49	Fuel tank and the side cover	Replacing the fuel tank and the side cover	Piece	1	1	6	Including disassembling the switch of fuel tank
50	Air cleaner	Replace air cleaner	Piece	1	1	6	Cleaning will add half task time
51	Muffler assy.	Replacing muffler assy.	Piece	1	1	6	
52	Carburetor assy.	Disassembling, cleaning or replacing carburetor	Piece	1	3	18	
53	Cables	Replacing any kinds of cables	Piece	1	0.5	3	Additional piece work adds half task time
54	Front brake master cylinder	Totally disassembling and replacing the components	Piece	1	2	12	
55	Front brake caliper	Totally disassembling and replacing the components	Piece	1	2	12	
56	Front brake pad set	Replacing the pad	Piece	2	4	24	
57	Front brake hose	Replacing the hose and liquid	Piece	1	2	12	The replacing should be paired
58	Steering bar	Replacing the steering bar	Piece	1	2	12	Including the work of No. 56

59	Lock assy.	Replacing lock assy.	Piece	1	3	18	
60	Front wheel	Replacing front wheel	Strip	1	2	12	Both internal and external tire. Although only changing one strip, still counting 2 task time
61	Front wheel assy.	Replacing front wheel assy. and disassembling odometer gear box	Piece	1	1	6	
62	Front brake disc	Replacing the front brake disc	Piece	1	1	6	
63	Front axle	Replace the front axle	Piece	2	2	12	Although only changing one axle, still count for 2 task time
64	Front shock absorber	Replacing front shock absorber	piece	1	2	12	
65	Steering stem	Replacing steering stem	Piece	1	4	24	Including related components
66	Rear wheel	Replacing internal and external rear wheel	Strip	1	3	18	Both internal and external tire. Although only changing one strip, still count for 3 task time
67	Rear wheel assy.	Replacing rear wheel assy.	Piece	1	2	12	
68	Rear axle	Replacing rear axle	Piece	2	3	18	Although only changing one piece, still count for 3 task time
69	Rear brake disc components	Replacing rear brake disc components	Piece	1	2	12	
70	Rear brake shoes	Replacing rear brake shoes	Piece	1	3	18	
71	Rear brake cam	Replacing rear brake cam	Piece	1	3	18	

72	Rear brake pedal	Replacing rear brake pedal	Piece	1	0.5	3	
73	Rear brake rod	Replacing rear brake rod	Piece	1	1	6	
74	Pedal bracket components	Replacing pedal bracket components	Piece	1	0.5	3	Additional piece work adds half task time
75	Rear shock absorber assy.	Replacing rear shock absorber assy.	Piece	1	2	12	
76	Rear fork assy.	Replacing rear fork assy.	Piece	1	4	24	
77	Rear fork shaft	Replacing rear fork shaft	Piece	1	4	24	
78	Driving chains	Replacing driving chains	Piece	1	1	6	
79	Triangle frame components	Replacing triangle components	Piece	1	1	6	
80	Gear shift pedal	Replacing gear shift pedal	Piece	1	0.5	3	
81	Gear shift rod and its components	Replacing gear shift rod and its components	Piece	1	0.5	3	
82	Starting arm assy.	Replacing starting arm assy.	Piece	1	0.5	3	
83	Rear brake shaft components	Replacing rear brake shaft components	Piece	1	1	6	
84	Center stand	Replacing Center stand	Piece	1	1	6	
85	Side stand	Replacing side stand	Piece	1	1	6	
86	Seat assy.	Replacing seat assy.	Piece	1	1	6	
87	Main frame assy.	Replacing main frame assy.	Piece	1	16	96	Including disassembling and assembling all parts of the motorcycle
88	Meter assy.	Replacing meter assy.	Piece	1	1	6	
89	The components of	Replacing the components of the	Piece	1	2	12	

	the meter	meter					
90	Head light assy.	Replacing head light assy.	Piece	1	1	6	
91	Headlight Components	Replacing the components of the headlight	Piece	1	1	6	
92	Headlight housing	Replacing headlight housing	Piece	1	1	6	
93	Headlight frame	Replacing headlight frame	Piece	1	1	6	
94	Left hand steering bar and handle bar switch	Replacing left hand of steering bar and handle bar switch	Piece	1	1	6	
95	Right hand steering bar and handle bar switch	Replacing the right hand steering bar and handle bar switch	Piece	1	1	6	
96	Winker components	Replacing winker components	Piece	1	1	6	Additional piece work adds half task time
97	Tail light components	Replacing tail light components	Piece	1	2	12	
98	Starting cable	Replacing starting cable	Piece	1	1	6	
99	Starter relay switch assembly	Replacing starter relay switch assembly	Piece	1	1	6	
100	Battery	Replacing battery	Piece	1	1	6	
101	Voltage rectifier	Replacing voltage rectifier	Piece	1	1	6	
102	CDI	Replacing CDI	Piece	2	1	6	
103	Spark coil	Replacing spark coil	Piece	1	1	6	
104	Main cable	Replacing main cable	Piece	1	6	36	
105	Engine oil	Changing engine oil	Time	1	0.5	3	